

Industrial Fiberglass Specialties, Inc.


521 Kiser Street
Dayton, OH 45404-1641
Tel: 937-222-9000
Fax: 937-222-9020

Product Bulletin
FRP Pipe Series
Descriptions

10-29-2001

Page #1 of 8

Resin Construction Type	Type of Liner	Resin for Liner	Resin for Structural
Series 1000 (Filament Wound)	40 mil veil and/or Nexus reinforced	Premium Grade Isophthalic Polyester	Premium Grade Isophthalic Polyester
Series 1000-SLIP (Filament Wound)	20 mil veil and/or Nexus and 40 mil chopped strand reinforced	Premium Grade Terephthalic Polyester	Premium Grade Terephthalic Polyester
Series 1000-VEP (Filament Wound)	20 mil veil and/or Nexus reinforced	Premium Grade Vinyl-Polyester	Premium Grade Vinyl-Polyester
Series 1002 (Filament Wound)	10 mil veil and 40 mil chopped strand reinforced	Premium Grade Isophthalic Polyester	Premium Grade Isophthalic Polyester
Series 1200 (Filament Wound)	Resin Rich	Utility Grade Epoxy	Utility Grade Epoxy
Series 1200-FR (Filament Wound)	Resin Rich	Premium Grade Fire Retardant Epoxy	Premium Grade Fire Retardant Epoxy
Series 1500 (Filament Wound)	40 mil veil and/or Nexus reinforced	Premium Grade Vinylester	Premium Grade Isophthalic Polyester
Series 1500-A (Filament Wound)	50 mil Nexus reinforced	Premium Grade Abrasion Resistant Vinylester	Premium Grade Isophthalic Polyester
Series 1500-NSF (Filament Wound)	20 mil veil and/or Nexus reinforced	Premium Grade NSF Potable Water Approved Vinylester	Premium Grade Vinyl-Polyester
Series 1502 (Filament Wound)	10 mil veil and 40 mil chopped strand reinforced	Premium Grade Vinylester	Premium Grade Isophthalic Polyester
Series 1600 (Filament Wound)	Resin Rich	Fire Retardant Phenolic	Fire Retardant Phenolic
Series 1900 (Filament Wound)	40 mil veil and/or Nexus reinforced	Premium Grade Fire Retardant Vinylester	Premium Grade Fire Retardant Polyester
Series 1900-20 (Filament Wound)	20 mil veil and/or Nexus reinforced	Premium Grade Fire Retardant Vinylester	Premium Grade Fire Retardant Vinylester



Industrial Fiberglass Specialties, Inc.


521 Kiser Street
 Dayton, OH 45404-1641
 Tel: 937-222-9000
 Fax: 937-222-9020

Product Bulletin
**FRP Pipe Series
 Descriptions**

10-29-2001

Page #2 of 8

Resin Construction Type	Type of Liner	Resin for Liner	Resin for Structural
Series 2000 (Filament Wound)	20 mil veil and/or Nexus reinforced	Premium Grade Epoxy	Premium Grade Epoxy
Series 2000-M for heavy duty marine applications (Filament Wound)	20 mil veil and/or Nexus reinforced	Premium Grade Epoxy	Premium Grade Epoxy
Series 2030 (Filament Wound)	30 mil (20 mil veil/10 mil Nexus) reinforced	Premium Grade Epoxy	Premium Grade Epoxy
Series 2600 (Filament Wound)	20+ mil veil and or Nexus reinforced	Premium Grade Epoxy	Indspec's FIRE PRF ₂ Phenolic
Series 2840 (Filament Wound)	10 mil veil and 43 mil chopped strand reinforced	Premium Grade Furan	Premium Grade Epoxy
Series 4000 (Filament Wound)	40 mil veil and/or Nexus reinforced	Premium Grade Epoxy	Premium Grade Epoxy
Series 4000-A (Filament Wound)	40-50 mil veil and/or Nexus reinforced	Premium Grade Abrasion Resistant Epoxy	Premium Grade Epoxy
Series 4000-HCL (Filament Wound)	20 mil carbon or Halar veil and 30 mil Nexus reinforced	Premium Grade Heat Cured Epoxy with corrosion enhancer	Premium Grade Heat Cured Epoxy with corrosion enhancer
Series 4000-60 (Filament Wound)	60 mil veil and/or Nexus reinforced	Premium Grade Epoxy	Premium Grade Epoxy
Series 5000 (Filament Wound)	40-50 mil veil and/or Nexus reinforced	Premium Grade Vinylester	Premium Grade Vinylester
Series 5000-A (Filament Wound)	40-50 mil veil and/or Nexus reinforced	Premium Grade Abrasion Resistant Vinylester	Premium Grade Vinylester
Series 5000-METH (Filament Wound)	20 mil veil and/or Nexus and 40 mil chopped strand reinforced	Premium Grade High Performance Vinylester	Premium Grade High Performance Vinylester



Industrial Fiberglass Specialties, Inc.


521 Kiser Street
Dayton, OH 45404-1641
Tel: 937-222-9000
Fax: 937-222-9020

Product Bulletin
FRP Pipe Series
Descriptions

10-29-2001

Page #3 of 8

Resin Construction Type	Type of Liner	Resin for Liner	Resin for Structural
Series 5000-SH for Sodium Hypochlorite service (Filament Wound)	50 mil Nexus reinforced	Premium Grade Vinylester with BPO/DMA Cure	Premium Grade Vinylester
Series 5000-20 (Filament Wound)	20 mil veil and/or Nexus reinforced	Premium Grade Vinylester	Premium Grade Vinylester
Series 5002 (Filament Wound)	10 mil veil and 40 mil chopped strand reinforced	Premium Grade Vinylester	Premium Grade Vinylester
Series 5070 (Filament Wound)	40-50 mil veil and/or Nexus reinforced	Premium Grade High Temperature Vinylester	Premium Grade Vinylester
Series 5072 (Filament Wound)	10 mil veil and 40 mil chopped strand reinforced	Premium Grade High Temperature Vinylester	Premium Grade Vinylester
Series 5600 (Filament Wound)	40-50 mil veil and/or Nexus reinforced	Indspec's FIRE PRF ₂ Phenolic	Indspec's FIRE PRF ₂ Phenolic
Series 5700 (Filament Wound)	40-50 mil veil and/or Nexus reinforced	Premium Grade High Temperature Vinylester	Premium Grade High Temperature Vinylester
Series 5702 (Filament Wound)	10 mil veil and 40 mil chopped strand reinforced	Premium Grade High Temperature Vinylester	Premium Grade High Temperature Vinylester
Series 5760 (Filament Wound)	40-50 mil veil and/or Nexus reinforced	Premium Grade High Temperature Vinylester	Indspec's FIRE PRF ₂ Phenolic
Series 5790 (Filament Wound)	40-50 mil veil and/or Nexus reinforced	Premium Grade High Temperature Vinylester	Premium Grade Fire Retardant Vinylester
Series 5790-N (Filament Wound)	40-50 mil veil and/or Nexus reinforced	Premium Grade High Temperature Fire Retardant Vinylester	Premium Grade High Temperature Fire Retardant Vinylester



Industrial Fiberglass Specialties, Inc.


521 Kiser Street
Dayton, OH 45404-1641
Tel: 937-222-9000
Fax: 937-222-9020

Product Bulletin
FRP Pipe Series
Descriptions

10-29-2001

Page #4 of 8

Resin Construction Type	Type of Liner	Resin for Liner	Resin for Structural
Series 5790-6 (Filament Wound)	50 mil veil and/or Nexus reinforced	Premium Grade High Temperature Vinylester	Premium Grade Fire Retardant Vinylester and Indspec's FIRE PRF ₂ , Phenolic
Series 5792 (Filament Wound)	10 mil veil and 40 mil chopped strand reinforced	Premium Grade High Temperature Vinylester	Premium Grade Fire Retardant Vinylester
Series 5792-N (Filament Wound)	10 mil veil and 40 mil chopped strand reinforced	Premium Grade High Temperature Fire Retardant Vinylester	Premium Grade High Temperature Fire Retardant Vinylester
Series 5800-HCL (Filament Wound)	30 mil carbon veil and 40 mil chopped strand reinforced	Premium Grade Furan	Premium Grade Furan
Series 5900 (Filament Wound)	40 mil veil and/or Nexus reinforced	Premium Grade Fire Retardant Vinylester	Premium Grade Fire Retardant Vinylester
Series 5900-H (Filament Wound)	20 mil Halar veil and 40 mil chopped strand reinforced	Premium Grade Fire Retardant Vinylester	Premium Grade Fire Retardant Vinylester
Series 5900-HT (Filament Wound)	50 mil carbon and Halar mat reinforced	ArmorCor Brominated Vinylester	Premium Grade Brominated Vinylester
Series 5900-NSF (Filament Wound)	40 mil veil and/or Nexus reinforced	Premium Grade NSF Potable Water Approved Vinylester	Premium Grade Fire Retardant Vinylester
Series 5900-20 (Filament Wound)	20 mil veil and/or nexus reinforced	Premium Grade Fire Retardant Vinylester	Premium Grade Fire Retardant Vinylester
Series 5902 (Filament Wound)	10 mil veil and 40 mil chopped strand reinforced	Premium Grade Fire Retardant Vinylester	Premium Grade Fire Retardant Vinylester
Series 5960-G (Filament Wound)	10 mil carbon veil, 20 mil C-veil and 20 mil Nexus reinforced	Premium Grade Conductive Fire Retardant Vinylester	Indspec's FIRE PRF ₂ Phenolic



Industrial Fiberglass Specialties, Inc.


521 Kiser Street
Dayton, OH 45404-1641
Tel: 937-222-9000
Fax: 937-222-9020

Product Bulletin
FRP Pipe Series
Descriptions

10-29-2001

Page #5 of 8

Resin Construction Type	Type of Liner	Resin for Liner	Resin for Structural
Series 5990-6 (Filament Wound)	10 mil veil and/or Nexus and 40 mil chopped strand reinforced	Premium Grade Fire Retardant Vinylester	Premium Grade Fire Retardant Vinylester and Indspec's FIRE PRF, Phenolic
Series 7000-M (Filament Wound)	20 mil carbon veil reinforced	Premium Grade Conductive Epoxy	Premium Grade Epoxy
Series 7100 (Filament Wound)	10 mil veil and/or Nexus and 40 mil chopped strand reinforced	Premium Grade Vinyl-Polyester	Premium Grade Vinyl-Polyester
Series 9000 (Filament Wound)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Isophthalic Polyester	Premium Grade Isophthalic Polyester
Series 9000-50 (Filament Wound)	10 mil veil and 40 mil chopped strand reinforced	Premium Grade Isophthalic Polyester	Premium Grade Isophthalic Polyester
Series 9100 (Filament Wound)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Vinylester	Premium Grade Isophthalic Polyester
Series 9100-A (Filament Wound)	10 mil Nexus and 90 mil chopped strand reinforced	Premium Grade Abrasion Resistant Vinylester	Premium Grade Isophthalic Polyester
Series 9190-A (Filament Wound)	20 mil Nexus and 90 mil chopped strand reinforced	Premium Grade Abrasion Resistant Vinylester	Premium Grade Fire Retardant Isophthalic Polyester
Series 9400 (Filament Wound)	100 mil graphite veil and/or Nexus	Premium Grade Epoxy Phenol Novolac	Premium Grade Epoxy Phenol Novolac
Series 9500 (Filament Wound)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Vinylester	Premium Grade Vinylester
Series 9500-A (Filament Wound)	10 mil Nexus and 90 mil chopped strand reinforced	Premium Grade Abrasion Resistant Vinylester	Premium Grade Vinylester



Industrial Fiberglass Specialties, Inc.


521 Kiser Street
Dayton, OH 45404-1641
Tel: 937-222-9000
Fax: 937-222-9020

Product Bulletin
FRP Pipe Series
Descriptions

10-29-2001

Page #6 of 8

Resin Construction Type	Type of Liner	Resin for Liner	Resin for Structural
Series 9500-SH for Sodium Hypochlorite service (Filament Wound)	30 mil veil and 100 mil chopped strand reinforced	Premium Grade Vinylester with BPO/DMA Cure	Premium Grade Vinylester
Series 9500-T (Filament Wound)	20 mil Nexus and 90 mil chopped strand reinforced	Premium Grade Special High Impact Vinylester	Premium Grade Vinylester
Series 9500-200 for severe service applications (Filament Wound)	20 mil veil and 180 mil chopped strand reinforced	Premium Grade Vinylester	Premium Grade Vinylester
Series 9600 (Filament Wound)	10 mil veil and 90 mil chopped strand reinforced	Indspec's FIRE PRF ₂ Phenolic	Indspec's FIRE PRF ₂ Phenolic
Series 9600-40-FR (Filament Wound)	10 mil veil and 40 mil chopped strand reinforced	Indspec's FIRE PRF ₂ Phenolic	Indspec's FIRE PRF ₂ Phenolic
Series 9700 (Filament Wound)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade High Temperature Vinylester	Premium Grade High Temperature Vinylester
Series 9700-200 for severe service applications (Filament Wound)	20 mil veil and 180 mil chopped strand reinforced	Premium Grade High Temperature Vinylester	Premium Grade High Temperature Vinylester
Series 9750 (Filament Wound)	10 mil veil and/or Nexus and 90 mil chopped strand reinforced	Premium Grade High Temperature Vinylester	Premium Grade Vinylester
Series 9800 (Filament Wound)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Furan	Premium Grade Furan
Series 9800-FR (Filament Wound)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Fire Retardant Furan	Premium Grade Furan



Industrial Fiberglass Specialties, Inc.


521 Kiser Street
Dayton, OH 45404-1641
Tel: 937-222-9000
Fax: 937-222-9020

Product Bulletin
FRP Pipe Series
Descriptions

10-29-2001

Page #7 of 8

Resin Construction Type	Type of Liner	Resin for Liner	Resin for Structural
Series 9800-40 (Filament Wound)	10 mil veil and 40 mil chopped strand reinforced	Premium Grade Furan	Premium Grade Furan
Series 9860 (Filament Wound)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Furan	Indspec's FIRE PRF ₂ Phenolic
Series 9860-FR (Filament Wound)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Fire Retardant Furan	Indspec's FIRE PRF ₂ Phenolic
Series 9860-G-40 (Filament Wound)	10 mil carbon veil and 40 mil chopped strand reinforced	Premium Grade Conductive Fire Retardant Furan	Indspec's FIRE PRF ₂ Phenolic
Series 9900 (Filament Wound)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Fire Retardant Vinylester	Premium Grade Fire Retardant Vinylester
Series 9960 (Filament Wound)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Fire Retardant Vinylester	Indspec's FIRE PRF ₂ Phenolic
Series 11000 (Contact Molded)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Isophthalic Polyester	Premium Grade Isophthalic Polyester
Series 11100 (Contact Molded)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Vinylester	Premium Grade Isophthalic Polyester
Series 11500 (Contact Molded)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Vinylester	Premium Grade Vinylester
Series 11600-LS (Contact Molded)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Low Smoke, Fire Retardant, Low Smoke Toxicity Phenolic	Premium Grade Low Smoke, Fire Retardant, Low Smoke Toxicity Phenolic



Industrial Fiberglass Specialties, Inc.

521 Kiser Street
Dayton, OH 45404-1641
Tel: 937-222-9000
Fax: 937-222-9020

Product Bulletin *FRP Pipe Series Descriptions*

10-29-2001

Page #8 of 8

Resin Construction Type	Type of Liner	Resin for Liner	Resin for Structural
Series 11700 (Contact Molded)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade High Temperature Vinylester	Premium Grade High Temperature Vinylester
Series 11800 (Contact Molded)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Furan	Premium Grade Furan
Series 11900 (Contact Molded)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Fire Retardant Vinylester	Premium Grade Fire Retardant Vinylester
Series 11900-LS (Contact Molded)	10 mil veil and 90 mil chopped strand reinforced	Premium Grade Low Smoke, Fire Retardant Vinylester	Premium Grade Low Smoke, Fire Retardant Vinylester